
Hubs Maintenance Instructions

Rear MTB disc 12x142
Rear MTB BOOST





Mack
Superlight


Mack
Superlight
11.95
ON/OFF
ZERO/ABS
ORIGIN
ABSOLUTE


Mack
Superlight
0
10
80
90
100
ON/OFF
ZERO/ABS
ORIGIN
mm
0.61


Mack
Superlight


MACK
Superlight



MACK
Superlight


Mack
Superlight



Mack
Superlight


Mack
Superlight



Mack
Superlight


Mack
Superlight



Mack
Superlight


Mack
Superlight



Mack
Superlight



MACK
Superlight



MACK
Superlight


MACK
Superlight













ZERO / ABS
ON / OFF
ORIGIN
19.95
mm
0
10
80
90
100
110
















ORIGIN
14.90
mm
ON / OFF
ZERO / ABS


ORIGIN
17.80
mm
ON / OFF
ZERO / ABS


50.00
mm
ABSOLUTE
DIGIMATIC








ABSOLUTE
ON / OFF
ZERO / ABS
ORIGIN
1490




ORIGIN
27.90
ABSOLUTE
ON / OFF
ZERO / ABS























Mack
Superlight



Mack
Superlight



Mack
Superlight





MACK
Superlight


Mack
Superlight


Mack
Superlight


Mack
Superlight
15.05
ABSOLUTE
DIGIMATIC


Mack
Superlight
27.80
ABSOLUTE
DIGIMATIC


Mack
Superlight
55.00
mm
ABSOLUTE
DIGIMATIC


Mack
Superlight




MACK
Superlight


MACK
Superlight


MACK
Superlight


Mack
Superlight


Mack
Superlight


Mack
Superlight






Mack
Superlight